Spectra® T24 Library Release Notes

P.N. 91000002 Revision C

Notices

Except as expressly stated herein, Spectra Logic Corporation makes available this Spectra® library and associated documentation on an "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, BOTH OF WHICH ARE EXPRESSLY DISCLAIMED. In no event shall Spectra Logic be liable for any loss of profits, loss of business, loss of use or data, interruption of business, or for indirect, special, incidental or consequential damages of any kind, even if Spectra Logic has been advised of the possibility of such damages arising from any defect or error.

Information furnished in this manual is believed to be accurate and reliable. However, no responsibility is assumed by Spectra Logic for its use. Due to continuing research and development, Spectra Logic may revise this publication from time to time without notice, and reserves the right to change any product specification at any time without notice.

If you do not agree to the above, do not use the Spectra library; instead, promptly contact Spectra Logic for instructions on how to return the library for a refund.

Spectra T24 Library Release Notes - Copyright © 2007 Spectra Logic Corporation. All rights reserved.

Contents

Introduction 4

User Feedback 4

Purchasing Additional Accessories and Media 4

Important Information. 5

Integration Tips 5

Library Media Capacity. 5

Updates to the User Guide 6

Chapter 2. Library Overview. 6

Appendix C. Regulatory & Safety Standards 7

Firmware History 8

T24_3.10/1.70e 8

T24_3.00/1.70e 8

T24_2.60/1.69e 8

T24_2.30 9

Introduction

These release notes give you the latest information available and are an addendum to the *Spectra T24 Library User Guide*.

User Feedback

Please give us suggestions for and opinions on our products and their documentation by calling us at (800) 833-1132 or by sending e-mail to feedback@spectralogic.com.

Purchasing Additional Accessories and Media

To purchase additional accessories for your library, or to purchase Certified Media, visit Spectra Logic's Web site at: http://www.spectralogic.com/shop.

Important Information

The information presented here represents the most up-to-date information that Spectra Logic can provide you to supplement the product user guides and other printed material.

Integration Tips

Spectra Logic does not support the use of the Adaptec 29320 SCSI card with any Spectra Logic library. Note, however, that the Adaptec 29320A SCSI is supported.

Library Media Capacity

The Spectra T24 library currently does not have a safety feature that prevents the import of more tapes than there are available slots, so the user must pay attention to how many tapes are being imported.

Do not import more than 24 tapes into a library with 24 active slots (23 with the mailslot enabled).

Updates to the User Guide

This version of release notes includes the following updates to Revision C of the *Spectra T24 Library User Guide*.

- *Chapter 2. Library Overview*, below
- *Appendix C. Regulatory & Safety Standards* on page 7

Chapter 2. Library Overview

The 12 slot configuration of the Spectra T24 library is no longer available. All 24 slots of the library are automatically enabled.

No field upgrading is required to use all 24 slots.

Appendix C. Regulatory & Safety Standards

China

Measures for the Administration of the Control of Pollution by Electronic Information Products

	T24 有毒和有害物质及元素					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr(VI))	多溴联苯 (PBB)	多溴联苯醚 (PBDE)
磁带库	X[5]	O	O	O	O	O
磁带驱动器 HP LTO-2 半高	X[1,5,6]	O	O	O	O	O
磁带驱动器 HP LTO-3 半高	X[5,6,7]	O	O	O	O	O

1. 电路板焊料含有铅。服务器，存储器和存储阵列系统，用于转接、信号和传输的网络基础设施设备，以及电信网络管理设备的焊料都含有铅。
2. 电气触点和镉镀层，不包括 76/769/ECC 指令的修订指令 91/338/EE 所禁止的应用，此等指令对某些危险物质的营销和使用列有若干限制条款。
3. 柔性电缆含有十溴联苯醚（Deca-PBDE）。若干聚合物应用的 Deca-PBDE 用量超过最大浓度限定值（MCV）。
4. 铅含量可能高达 3.2 克。
5. 钢材中的铅含量为 0.35%，铝合金中为 0.4%，青铜等铜合金中为 4.0%。
6. 电子陶瓷零件（例如压电式装置）可能含有铅。
7. 电子部件可能含有铅玻璃。

Firmware History

Note: Check Spectra Logic's Web site for the latest Spectra T24 library firmware information, located at www.spectralogic.com/firmware.

T24_3.10/1.70e

- Modified the library configuration so that all 24 slots are enabled upon shipping. Upgrading to use 24 slots is now unnecessary.
- Upgrading the library firmware automatically enables all slots for libraries that have the 12 slot configuration.

T24_3.00/1.70e

February 2007

- Added the Spectra GECKO inquiry string.
- Added the ability to upgrade the number of active slots in the library through the use of a license key.

T24_2.60/1.69e

December 2006

Added support for LTO-3 half-height tape drives.

T24_2.30

September 2006

Initial release.